UL Product iQ®



FTAM.E354878 - Gas and Vapor Detectors and Sensors

Gas and Vapor Detectors and Sensors

Macurco Inc.

1504 W 51st St Sioux Falls, SD 57105 United States

| Туре | Supply Connection | Model No. |
|------|-------------------|--|
| SD | Hardwire (4-wire) | CM-E1 (*a)(*c) CO Detector |
| SD | Hardwire (4-wire) | CM-E1 (Surface) (*a)(*c) CO Detector |
| SD | Hardwire (4-wire) | CM-E1 (Flush) (*a)(*c) CO Detector |
| SD | Hardwire (4-wire) | GD-2A(*b)(*d) Methane and Propane Detector |
| SD | Hardwire (4-wire) | CM-E1 Round (Surface) (*a)(*c) CO Detector |
| SD | Hardwire (4-wire) | CM-E1 Round (Flush) (*a)(*c) CO Detector |

SD = System detector.

(*a) - For use with UL listed fire alarm control panel or listed fire/burglary alarm control panel.

(*b) - Suitable for use at temperatures 4.4°C to 49°C (40°F to 120°F).

(*c) - Suitable for use at temperatures 4.4°C to 37.8°C (40°F to 100°F).

(*d) - For use with UL listed fire alarm control panel or listed fire/burglary alarm control panel that is at least listed to UL 2017.





Last Updated on 2022-12-20

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."

E354878